OIKOS

# OIKOS S.P.A. A SOCIO UNICO BETONCRYLL IDROREPELLENTE

Revision nr.10 Dated 16/11/2022 Printed on 30/11/2022 Page n. 1 / 11 Replaced revision:9 (Dated 27/05/2020)

# Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SECTION 1. Identific	ation of the substa	ince/mixtur	e and of the com	pany/undertaking	
1.1. Product identifier					
Product name		BETONCRY	LL IDROREPELLENTE	<u>-</u>	
1.2. Relevant identified uses	of the substance or mixtu	ire and uses ad	lvised against		
Intended use		Water based and Commer		s, protective coating for concrete.F	rofessional
Uses advised against Use	es other than those indicat	ed			
1.3. Details of the supplier of	the safety data sheet				
Name Full address District and Country		OIKOS S.P.A Via Cherubin 47043 Tel. Fax	A. A SOCIO UNICO ii 2 Gatteo Mare Italia 0547 681412 0547 681430	(FC)	
e-mail address of the com responsible for the Safety			prodotti@oikos-group.i	t	
1.4. Emergency telephone nu	umber				
For urgent inquiries refer t	to	NHS Nationa	al Health Service 111		
OIKOS S.P.A. a socio unio Technical support - Monda					
SECTION 2. Hazards	s identification				
2.1. Classification of the subs	stance or mixture				
The product is not classifi However, since the produ data sheet with appropriat	ct contains hazardous sul	bstances in cor	ncentrations such as to	ulation 1272/2008 (CLP). be declared in section no. 3, it rec	luires a safety
Hazard classification and	indication:				
2.2. Label elements					
Hazard labelling pursuant	to EC Regulation 1272/20	008 (CLP) and	subsequent amendmer	nts and supplements.	
Hazard pictograms:					
Signal words:					
Hazard statements: EUH210 EUH208	2-r	action mass of nethyl-2H-isoth 2-benzisothiazo	5-chloro-2-methyl-2H-i iazol-3-one [EC no. 22	isothiazol-3-one[EC no. 247-500-7] 0-239-6] (3:1)	and
Precautionary statements	:				
VOC (Directive 2004/42/E Binding primers.					
VOC given in g/litre of pro	duct in a ready-to-use cor	naition :	20,00		

EN

# OIKOS

# OIKOS S.P.A. A SOCIO UNICO BETONCRYLL IDROREPELLENTE

SECTION 2. Hazards identification ... / >>

Limit value:

30,00

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration  $\ge 0.1\%$ .

# SECTION 3. Composition/information on ingredients

#### 3.2. Mixtures

Contains:

Identification	x = Conc	.% Classifica	ation (EC) 1272/2008 (CLP)
1,2-benzisothi	iazol-3(2H)-one		
CAS	2634-33-5	0,039 ≤ x < 0,045	Acute Tox. 2 H330, Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411
EC	220-120-9		Skin Sens. 1 H317: ≥ 0,05%
INDEX	613-088-00-6		LD50 Oral: >490 mg/kg bw, STA Inhalation mists/powders: 0,051 mg/l, STA Inhalation vapours: 0,501 mg/l
REACH Reg.	01-2120761540-60	)	
Reaction mas (3:1)	s of 5-chloro-2-methy	/l-2H-isothiazol-3-one[EC	no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]
ĊAŚ	55965-84-9	0,00114 ≤ x < 0,00119	Acute Tox. 1 H330, Acute Tox. 2 H310, Acute Tox. 3 H301, Skin Corr. 1B H314, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=100, Aquatic Chronic 1 H410 M=100
EC	611-341-5		Skin Corr. 1C H314: ≥ 0,6%, Skin Irrit. 2 H315: ≥ 0,06%, Skin Sens. 1 H317: ≥ 0,0015%, Eye Irrit. 2 H319: ≥ 0,6%
INDEX	613-167-00-5		LD50 Oral: >64 mg/kg bw, STA Dermal: 50,001 mg/kg, STA Inhalation vapours: 0,05 mg/l
REACH Reg.	01-2120764691-48	}	

The full wording of hazard (H) phrases is given in section 16 of the sheet.

# SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

## **SECTION 5. Firefighting measures**

### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture



#### SECTION 5. Firefighting measures ... / >>

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

### SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

- SECTION 8. Exposure controls/personal protection
- 8.1. Control parameters



### SECTION 8. Exposure controls/personal protection ... / >>

o-2-methyl-	2H-isothiazol-3-o	ne[EC no. 247-	500-7] and 2-m	ethyl-2H-isothi	azol-3-one [EC r	10.	
1)							
entration - P	NEC						
water					3,39	µg/l	
ne water					3,39	µg/l	
n water sedi	ment				27	µg/kg	
ne water se	diment				27		
Normal value of STP microorganisms							
t level - DN	EL / DMEL					10	
Effects or	n consumers			Effects on w	orkers		
Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
local	systemic	local	systemic	local	systemic	local	systemic
	110		90				-
	µg/kg bw/d		µg/kg bw/d				
40	NPI	20	NPI	40	NPI	20	NPI
µg/m3		µg/m3		µg/m3		µg/m3	
10	NPI	NPI	NPI	10	NPI	NPI	NPI
	1) entration - P water ne water ne water sedi ne water sedi ne water se microorgani tt level - DN Effects or Acute local	1) entration - PNEC water ne water ne water sediment microorganisms et level - DNEL / DMEL Effects on consumers Acute local systemic 110 µg/kg bw/d 40 NPI	1) entration - PNEC water ne water ne water sediment microorganisms et level - DNEL / DMEL Effects on consumers Acute Acute Chronic local systemic local 110 µg/kg bw/d 40 NPl 20	1) entration - PNEC water ne water ne water sediment microorganisms et level - DNEL / DMEL Effects on consumers Acute Acute Chronic Chronic local systemic local systemic 110 90 µg/kg bw/d µg/kg bw/d 40 NPI 20 NPI	1) entration - PNEC water ne water ne water sediment microorganisms et level - DNEL / DMEL Effects on consumers Acute Acute Chronic Chronic Acute local systemic local systemic local 110 90 µg/kg bw/d µg/kg bw/d 40 NPI 20 NPI 40	1) entration - PNEC water = 3,39 ne water sediment 3,39 ne water sediment 27 ne water sediment 27 microorganisms 230 et level - DNEL / DMEL Effects on consumers Effects on workers Acute Acute Chronic Chronic Acute Acute local systemic local systemic local systemic 110 90 µg/kg bw/d µg/kg bw/d 40 NPI 20 NPI 40 NPI	water ne water sediment 3,39 µg/l ne water sediment 27 µg/kg microorganisms 27 µg/kg microorganisms 200 µg/l t level - DNEL / DMEL Effects on consumers Effects on workers Acute Acute Chronic Chronic Acute Acute Chronic local systemic local systemic local systemic local 110 90 µg/kg bw/d µg/kg bw/d 40 NPl 20 NPl 40 NPl 20

			1,2-benzisot	hiazol-3(2H)-on	е			
Predicted no-effect conce	entration - P	NEC						
Normal value in fresh	water					4,03	µg/l	
Normal value in marin	ne water					403	ng/l	
Normal value for fresh				49,9	µg/kg			
Normal value for mari	ine water se	diment				4,99	µg/kg	
Normal value of STP	microorgani	sms				1,03	mg/l	
Health - Derived no-effect	t level - DN	EL / DMEL						
	Effects or	n consumers			Effects on w	orkers		
Route of exposure	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Inhalation				1,2				6,81
				mg/m3				mg/m3
				A 1 -				
Skin				345				966
Skin				345 µg/kg bw/d				966 µg/kg

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

ΕN



ΕN

# SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties         Appearance         Colour         Odour         Melting point / freezing point         Initial boiling point         Flammability         Lower explosive limit         Upper explosive limit         Flash point         Auto-ignition temperature         pH         Kinematic viscosity         Dynamic viscosity         Solubility         Partition coefficient: n-octanol/water         Vapour pressure         Density and/or relative density         Relative vapour density         Particle characteristics         9.2. Other information         9.2.1. Information with regard to physical hazard cla         Information not available         9.2.2. Other safety characteristics	Value liquid transparent Feeble Not available 100 °C not flammable Not applicable Not applicable Not applicable 6,5-7,5 Not available 50 Mixable in water Not available 1 Not available Not available Not applicable	Information		
VOC (Directive 2004/42/EC) : Explosive properties Oxidising properties	1,81 % - 18,12 not applicable not applicable	g/litre		
SECTION 10. Stability and reactivity				
10.1. Reactivity				
There are no particular risks of reaction with other s	ubstances in normal con	ditions of use.		
10.2. Chemical stability				
The product is stable in normal conditions of use an	d storage.			
10.3. Possibility of hazardous reactions				
No hazardous reactions are foreseeable in normal of	conditions of use and sto	rage.		

#### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

#### 10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available



### **SECTION 11.** Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture: Not classified (no significant component) Not classified (no significant component) Not classified (no significant component)

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one[EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

LD50 (Dermal): STA (Dermal):

LD50 (Oral): LC50 (Inhalation vapours):

1,2-benzisothiazol-3(2H)-one LD50 (Dermal): LD50 (Oral): 1008 mg/kg bw (rat) 50,001 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture) > 64 mg/kg bw 64-561 (rat) > 171 mg/m3 171-2360 (rat)

2000 mg/kg bw (rat) > 490 mg/kg bw 490-670 (rat)

#### SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction. Contains: Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one[EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) 1,2-benzisothiazol-3(2H)-one

Respiratory sensitization

Information not available

Skin sensitization

Information not available

GERM CELL MUTAGENICITY

# OIKOS

# OIKOS S.P.A. A SOCIO UNICO BETONCRYLL IDROREPELLENTE

SECTION 11. Toxicological information ... / >>

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

Adverse effects on sexual function and fertility

Information not available

Adverse effects on development of the offspring

Information not available

Effects on or via lactation

Information not available

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

## SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one[EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)LC50 - for Fish> 190  $\mu$ g/l 190-330EC50 - for Crustacea> 7  $\mu$ g/l 7-160EC50 - for Algae / Aquatic Plants> 6,3  $\mu$ g/l 6,3-27,3Chronic NOEC for Fish46,4  $\mu$ g/l 35 daysChronic NOEC for Crustacea> 111  $\mu$ g/l 11.1-1050

ΕN



Revision nr.10 Dated 16/11/2022 Printed on 30/11/2022 Page n. 8 / 11 Replaced revision:9 (Dated 27/05/2020)

### SECTION 12. Ecological information ... / >>

1,2-benzisothiazol-3(2H)-one LC50 - for Fish EC50 - for Crustacea EC50 - for Algae / Aquatic Plants Chronic NOEC for Algae / Aquatic Plants

> 2,15 mg/l 2,15-22 > 2,9 mg/l 2,9-2,94 > 70 μg/l 70-150 > 40,3 μg/l 40-55

#### 12.2. Persistence and degradability

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one[EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) Rapidly degradable

1,2-benzisothiazol-3(2H)-one Rapidly degradable

#### 12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

#### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

### SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

### **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

SECTION 14. Transport information

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

## **SECTION 15. Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

... / >>

Seveso Category - Directive 2012/18/EU:

75

None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Contained substance Point

FOIL

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors Not applicable

Substances in Candidate List (Art. 59 REACH) On the basis of available data, the product does not contain any SVHC in percentage  $\geq$  than 0,1%.

Substances subject to authorisation (Annex XIV REACH)
None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012: None

Substances subject to the Rotterdam Convention: None

Substances subject to the Stockholm Convention: None

Healthcare controls Information not available

VOC (Directive 2004/42/EC) : Binding primers.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017) WGK 1: Low hazard to waters

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

## SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 1	Acute toxicity, category 1
Acute Tox. 2	Acute toxicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Skin Sens. 1	Skin sensitization, category 1
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
H330	Fatal if inhaled.
H310	Fatal in contact with skin.
H301	Toxic if swallowed.

OIKOS

#### SECTION 16. Other information ... / >>

H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH210	Safety data sheet available on request.

#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

# GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website

#### SECTION 16. Other information ... / >>

- ECHA website

- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

#### CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review: The following sections were modified: 02 / 03 / 09 / 11 / 12 / 15 / 16.