ΕN



# OIKOS S.P.A. A SOCIO UNICO FINITURA MADREPERLATA

Printed on 04/12/2022 Page n. 1 / 11 Replaced revision:1 (Dated 14/05/2020)

# Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

# SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

FINITURA MADREPERLATA Product name

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Water-based decorative paint for interiors. Professional and domestic use.

Uses advised against Uses other than those indicated

1.3. Details of the supplier of the safety data sheet

OIKOS S.P.A. A SOCIO UNICO Name

Full address Via Cherubini 2

**District and Country** 47043 Gatteo Mare (FC)

Italia

0547 681412 Tel. Fax 0547 681430

e-mail address of the competent person

responsible for the Safety Data Sheet certificazioniprodotti@oikos-group.it

1.4. Emergency telephone number

NHS National Health Service 111 For urgent inquiries refer to

OIKOS S.P.A. a socio unico Company emergency number: 0547 681412 Technical support - Monday to Friday from 8.00-13.00; 13:30 to 16:30

# SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2020/878.

Hazard classification and indication:

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:

Signal words:

Hazard statements:

FUH210 Safety data sheet available on request.

**EUH208** Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one[EC no. 247-500-7] and

2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

1,2-benzisothiazol-3(2H)-one

May produce an allergic reaction.

Precautionary statements:

VOC (Directive 2004/42/EC): Decorative effect coatings.

VOC given in g/litre of product in a ready-to-use condition : 70,00 Limit value: 200,00

@EPY 11.1.2 - SDS 1004.14



Revision nr.2
Dated 04/12/2022
Printed on 04/12/2022
Page n. 2 / 11
Replaced revision:1 (Dated 14/05/2020)

#### SECTION 2. Hazards identification

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

## SECTION 3. Composition/information on ingredients

#### 3.2. Mixtures

Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

.../>>

2-AMINO-2-METHYLPROPANOL

CAS 124-68-5 2,5 ≤ x < 3,5 Eye Irrit. 2 H319, Skin Irrit. 2 H315, Aquatic Chronic 3 H412

EC 204-709-8 INDEX 603-070-00-6 REACH Reg. 01-2119475110-51 1,2-benzisothiazol-3(2H)-one

CAS 2634-33-5 0,039 ≤ x < 0,045 Acute Tox. 2 H330, Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315,

Skin Sens. 1 H317, Aguatic Acute 1 H400 M=1, Aguatic Chronic 2 H411

EC 220-120-9 Skin Sens. 1 H317: ≥ 0,05%

INDEX 613-088-00-6 LD50 Oral: >490 mg/kg bw, STA Inhalation mists/powders: 0,051 mg/l, STA

Inhalation vapours: 0,501 mg/l

REACH Reg. 01-2120761540-60

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one[EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]

(3:1) CAS

55965-84-9 0,00124 ≤ x < 0,00129 Acute Tox. 1 H330, Acute Tox. 2 H310, Acute Tox. 3 H301, Skin Corr. 1B

H314, Eye Dam. 1 H318, Skin Sens. 1 H317, Aguatic Acute 1 H400 M=100,

Aquatic Chronic 1 H410 M=100

EC 611-341-5 Skin Corr. 1C H314: ≥ 0,6%, Skin Irrit. 2 H315: ≥ 0,06%, Skin Sens. 1 H317: ≥

0,0015%, Eye Irrit. 2 H319: ≥ 0,6%

INDEX 613-167-00-5 LD50 Oral: >64 mg/kg bw, STA Dermal: 50,001 mg/kg, STA Inhalation

vapours: 0,05 mg/l

REACH Reg. 01-2120764691-48

The full wording of hazard (H) phrases is given in section 16 of the sheet.

#### SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

### SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.



Printed on 04/12/2022 Page n. 3 / 11 Replaced revision:1 (Dated 14/05/2020)

#### SECTION 5. Firefighting measures

.../>>

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

### **GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

### SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

#### SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

DFU Deutschland Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56



Revision nr.2
Dated 04/12/2022
Printed on 04/12/2022
Page n. 4/ 1/1
Replaced revision:1 (Dated 14/05/2020)

## SECTION 8. Exposure controls/personal protection

.../>>

				2-AMINO-2-ME	THYLPROPAN	IOL			
Threshold Limit Value				- 7 WIN (O 2 WIE		.02			
Type C	Country	TWA/8h		STEL/15min		Remarks / Observations			
		mg/m3	ppm	mg/m3	ppm				
AGW [		3,7	1	7,4	2	SKIN			
MAK [	EU	3,7	1	7,4	2	SKIN			
Predicted no-effect co	ncentration -	- PNEC							
Normal value in fre	sh water						188	μg/l	
Normal value in marine water 18,8 µg/l							μg/l		
Normal value for fresh water sediment 710 µg/kg								μg/kg	
Normal value for marine water sediment 71 µg/kg								μg/kg	
Normal value for water, intermittent release 1,88 mg								mg/l	
Normal value of STP microorganisms							10	mg/l	
Health - Derived no-et	ffect level - D	DNEL / DN	1EL						
	Effects	Effects on consumers				Effects on workers			
Route of exposure	Acute	Acu	te	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	syst	temic	local	systemic	local	systemic	local	systemic
Oral									460
									μg/kg
									bw/day
Inhalation					1,6				6,5
					mg/m3				mg/m3
Skin					37				7,3
					mg/kg bw/d				mg/kg
									bw/d

teaction mass of 5-chlo	ro-2-methyl-2	2H-isothiazol-3-or	ne[EC no. 247-	500-7] and 2-me	ethyl-2H-isothi	azol-3-one [EC r	10.			
220-239-6] (3:	1)									
redicted no-effect conc	entration - Pl	NEC								
Normal value in fresh water						3,39	μg/l			
Normal value in marine water						3,39	μg/l			
Normal value for fresh water sediment						27	μg/kg			
Normal value for marine water sediment							μg/kg			
Normal value of STP microorganisms						230	μg/l			
lealth - Derived no-effec	ct level - DNE	EL / DMEL								
	Effects on consumers Effect					ects on workers				
Route of exposure	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic		
	local	systemic	local	systemic	local	systemic	local	systemic		
Oral		110		90						
		μg/kg bw/d		μg/kg bw/d						
Inhalation	40	NPI	20	NPI	40	NPI	20	NPI		
	μg/m3		μg/m3		μg/m3		μg/m3			
Skin		NPI	NPI	NPI		NPI	NPI	NPI		

			1,2-benziso	thiazol-3(2H)-on	е			
Predicted no-effect cond	entration - P	NEC						
Normal value in fresh			4,03	μg/l				
Normal value in marine water						403	ng/l	
Normal value for fres			49,9	μg/kg				
Normal value for marine water sediment						4,99	μg/kg	
Normal value of STP	Normal value of STP microorganisms					1,03	mg/l	
Health - Derived no-effe	ct level - DN	EL / DMEL					Ū	
	Effects or	consumers		Effects on workers				
Route of exposure	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Inhalation		•		1,2		•		6,81
				mg/m3				mg/m3
Skin				345				966
				μg/kg bw/d				μg/kg
								bw/d

#### Legend

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction. VND = hazard identified but no DNEL/PNEC available; NEA = no exposure expected; NPI = no hazard identified.



Pated 04/12/2022
Printed on 04/12/2022
Page n. 5 / 11
Replaced revision:1 (Dated 14/05/2020)

#### SECTION 8. Exposure controls/personal protection

.../>>

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

**EYE PROTECTION** 

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Information

# SECTION 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Properties Value

Appearance liquid
Colour Transparent and the colour

chart shades

Odour mild

Melting point / freezing point Not available
Initial boiling point 100 °C

Flammability not applicable
Lower explosive limit Not applicable
Upper explosive limit Not applicable

Upper explosive limit

Upper explosive limit

Flash point

Not applicable

100 °C

Auto-ignition temperature

Not applicable

Not applicable

pH 5-7
Kinematic viscosity Not available
Dynamic viscosity tixotropico
Solubility miscible

Partition coefficient: n-octanol/water
Vapour pressure
Density and/or relative density
Relative vapour density
Particle characteristics
Not available
Not available
Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

 VOC (Directive 2004/42/EC):
 8,72 % - 85,41
 g/litre

 VOC (volatile carbon)
 4,30 % - 42,15
 g/litre

Explosive properties not explosive





Revision nr.2
Dated 04/12/2022
Printed on 04/12/2022
Page n. 6 / 11
Replaced revision:1 (Dated 14/05/2020)

SECTION 9. Physical and chemical properties

Oxidising properties not applicable

# SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-AMINO-2-METHYLPROPANOL

May react dangerously with: strong oxidising agents, strong acids.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

2-AMINO-2-METHYLPROPANOL

Incompatible with: copper,copper alloys.

10.6. Hazardous decomposition products

2-AMINO-2-METHYLPROPANOL May develop: nitric oxide.

### SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

ATE (Oral) of the mixture:

ATE (Dermal) of the mixture:

Not classified (no significant component)

Not classified (no significant component)

2-AMINO-2-METHYLPROPANOL

LD50 (Dermal): 2000 mg/kg coniglio LD50 (Oral): 900 mg/kg ratto

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]

ΕN



# OIKOS S.P.A. A SOCIO UNICO FINITURA MADREPERLATA

Revision nr.2
Dated 04/12/2022
Printed on 04/12/2022
Page n. 7 / 11
Replaced revision:1 (Dated 14/05/2020)

SECTION 11. Toxicological information

... / >>

(3:1)

LD50 (Dermal): 1008 mg/kg bw (rat)

STA (Dermal): 50,001 mg/kg estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral): > 64 mg/kg bw 64-561 (rat) LC50 (Inhalation vapours): > 171 mg/m3 171-2360 (rat)

1,2-benzisothiazol-3(2H)-one

LD50 (Dermal): 2000 mg/kg bw (rat)

LD50 (Oral): > 490 mg/kg bw 490-670 (rat)

#### SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

#### SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

#### RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) 1,2-benzisothiazol-3(2H)-one

Respiratory sensitization

Information not available

Skin sensitization

Information not available

#### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

### CARCINOGENICITY

Does not meet the classification criteria for this hazard class

## REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

Adverse effects on sexual function and fertility

Information not available

Adverse effects on development of the offspring

Information not available

Effects on or via lactation

Information not available

# STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available



... / >>

Dated 04/12/2022 Printed on 04/12/2022 Page n. 8 / 11 Replaced revision:1 (Dated 14/05/2020)

SECTION 11. Toxicological information

#### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

#### SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

#### 12.1. Toxicity

2-AMINO-2-METHYLPROPANOL

LC50 - for Fish 190 mg/l/96h lepomis macrochirus

EC50 - for Crustacea 188 mg/l EC50 - for Algae / Aquatic Plants 565,5 mg/l/72h

 $Reaction\ mass\ of\ 5-chloro-2-methyl-2H-isothiazol-3-one\ [EC\ no.\ 247-500-7]\ and\ 2-methyl-2H-isothiazol-3-one\ [EC\ no.\ 220-239-6]\ (3:1)$ 

 $1, 2\hbox{-benzisothiazol-}3(2H)\hbox{-one}\\$ 

12.2. Persistence and degradability

2-AMINO-2-METHYLPROPANOL

Solubility in water 920 g/l

Rapidly degradable

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Rapidly degradable

 $1, 2\hbox{-benzisothiazol-}3(2H)\hbox{-one}$ 

Rapidly degradable

12.3. Bioaccumulative potential

2-AMINO-2-METHYLPROPANOL

Partition coefficient: n-octanol/water -0,63

12.4. Mobility in soil

Information not available

ΕN



# OIKOS S.P.A. A SOCIO UNICO FINITURA MADREPERLATA

Part of 04/12/2022 Printed on 04/12/2022 Page n. 9 / 11 Replaced revision:1 (Dated 14/05/2020)

#### SECTION 12. Ecological information

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

... / >>

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

# SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

**CONTAMINATED PACKAGING** 

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

### SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

# SECTION 15. Regulatory information

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Contained substance
Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors



Printed on 04/12/2022 Page n. 10 / 11 Replaced revision:1 (Dated 14/05/2020)

#### SECTION 15. Regulatory information

Not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

.../>>

Substances subject to authorisation (Annex XIV REACH)

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

Substances subject to the Rotterdam Convention:

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

VOC (Directive 2004/42/EC):

Decorative effect coatings.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 2: Hazard to waters

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

#### SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 1 Acute toxicity, category 1 Acute Tox. 2 Acute toxicity, category 2 Acute Tox. 3 Acute toxicity, category 3 Skin Corr. 1B Skin corrosion, category 1B Eye Dam. 1 Serious eye damage, category 1 Skin sensitization, category 1 Skin Sens. 1

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1 Aquatic Chronic 1 Hazardous to the aquatic environment, chronic toxicity, category 1

H330 Fatal if inhaled.

H310 Fatal in contact with skin. H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

**EUH210** Safety data sheet available on request.

#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%



Revision nr:2
Dated 04/12/2022
Printed on 04/12/2022
Page n. 11 / 11
Replaced revision:1 (Dated 14/05/2020)

#### SECTION 16. Other information .../>>

- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

#### **GENERAL BIBLIOGRAPHY**

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

#### CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

#### Changes to previous review:

The following sections were modified:

02 / 03 / 09 / 11 / 12 / 15 / 16.